


Catalog No. 82-1~82-2



82-1  
(Catalog No.)

82-1  
(Catalog No.)

82-2  
(Catalog No.)

82-2  
(Catalog No.)

82-2  
(Catalog No.)

**8200A**

- Automatic winding, center second
- Day and date indication
- Quick day and date setting
- Dual language switching device

Thickness: 5.32mm

**8210A**

- Automatic winding, center second
- Date indication
- Quick date setting

Thickness: 5.32mm

**8260A**

- Manual winding, center second
- Date indication
- Quick date setting

Thickness: 4.37mm

**8270A**


- Manual winding, center second

Thickness: 4.37mm

**8280A**

- Automatic winding, center second
- Day and date indication
- Dual language switching device

Thickness: 5.87mm



82-1  
(Catalog No.)


82-2  
(Catalog No.)

**8234A**


- Manual winding without a center second

Thickness: 4.4mm

Size	25.6mmø
Beats	21,600



1. Even if a part on hand is different in shape from the one shown in the development, their part No. are the same as long as the purpose of the use of them are the same.



1. Even if a part on hand is different in shape from the one shown in the development, their part No. are the same as long as the purpose of the use of them are the same.

Note: Some of the day dial driving wheels (203-12) are equipped with the day dial driving wheel setting screws (923-64).



