

Calibre 1135

Ø20.00mm
Ht: 5.90mm
Train: 19.800

- Automatic
- Calendar
- Centre second
- Shock Proof
- 26 Jewels

Base Calibre 1120








Image	Rolex No.	Description
	171	Screw for enlargement ring
	4519	Date star
	4520-1	Date indicator Ø 18.00mm • champagne
	4520-2	• silvered
	4521-1	Date indicator Ø 21.50mm • champagne
	4521-2	• silvered
	6669	Train wheel bridge
 	6671	Third wheel













Image	Rolex No.	Description
	6672	Jewel for third wheel-upper
	6673	Second wheel
	6675	Driving wheel over third wheel
	6676	Centre second pinion
	6677	Minute pinion friction spring
	6678	Screw for second pinion friction spring
	6730	Automatic device upper bridge
	6731	Foot for automatic device upper bridge
	6732	Bearing pad for oscillating weight
	6733	Automatic device lower bridge
	6735	Oscillating weight
	6736	Axle for oscillating weight






















Image	Rolex No.	Description
	6737	Winding wheel
	6738	Oscillating weight bolt-axle
	6739	Spring-clip
 	6740	Intermediate wheel n°2
	6741	Bush for reversing wheel-lower
	6744	Automatic device module
	6765	Main plate
 	6766	Centre wheel with cannon pinion
	6767	Cannon pinion
 	6768	Hour wheel
	6770	Driving wheel for date indicator

Image	Rolex No.	Description
	6771	Date jumper
	6771-1	Date jumper foot
	6771-2	Date jumper pillar
	6772	Screw for date jumper
	6778	Enlargement ring
	6779	Screw for case
	6782	Set of screws