



Cal. 6119C

**Characteristics**

Casing diameter: 27.00  $\phi_{mm}$   
 Maximum height: 5.15 mm  
 Vibrations per hour: 21,600  
 Automatic winding with sweep second  
 Calendar (day & date)  
 Instant setting device for day & date calendar  
 Bilingual change-over system for day of week  
 "Diashock" Shock Resistant Device  
 "Diafix" Oil Lubrication Device



Calibre No. <b>6119C</b>		Jewels <b>21j</b>	Style Name	
⇨ Basic Calibre 6106A 25J Catalog No. 61-06-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
<b>112521</b>	<b>Barrel &amp; train-wheel bridge</b>	883610	Date corrector spring	
122612	Center wheel bridge	☆884611	Holding ring for dial	
161805	Pallet cock	963610	Snap for day star with dial disk	
<b>171612</b>	<b>Balance cock</b>	<b>972610</b>	<b>Day-date corrector finger</b>	
<b>193527</b>	<b>Framework for automatic device with ball-bearing</b>	022150	Stud screw	
205613	Complete barrel with arbor	022252	Holder screw for transmission wheel & pawl lever	
213612	Barrel arbor	022257	Date corrector spring screw	
224611	Center wheel & pinion with cannon pinion	<b>022269</b>	<b>Minute wheel bridge screw (Cheese-head screw)</b>	
225611	Cannon pinion	022351	Center wheel bridge screw	
231610	Third wheel & pinion	<b>022458</b>	<b>Screw for oscillating weight</b>	
241611	Sweep second wheel & pinion	022467	Ratchet wheel screw	
<b>251613</b>	<b>Escape wheel &amp; pinion</b>	022468	Pallet cock screw	
261611	Minute wheel	022470	Framework screw for automatic device with ball-bearing	
271611	Hour wheel	022471	Click screw	
281611	Setting wheel	<b>022493</b>	<b>Bridge screw</b>	
282611	Clutch wheel	022662	Setting lever spring screw	
285611	Ratchet wheel	022677	Screw for day & date driving wheel	
301611	Jewelled pallet fork & staff	022760	Minute wheel bridge screw (Chamfer-head screw)	
310611	Balance complete with stud	022760	Date dial guard screw	
315611	Balance staff	<b>022761</b>	<b>Dial screw</b>	
331610	Roller with jewel	011145	Upper hole jewel for center wheel	
<b>341612</b>	<b>Regulator</b>	011146	Lower hole jewel for center wheel	
<b>345612</b>	<b>Stud holder</b>	011306	Upper hole jewel for 3rd wheel	
354615	Winding stem	011306	Lower hole jewel for 3rd wheel	
☆ <b>357612</b>	Click	011306	Upper hole jewel for sweep second wheel	
381611	Setting lever with axle	011503	Upper hole jewel for pallet	
383611	Yoke (Clutch lever)	011503	Lower hole jewel for pallet	
384611	Yoke (Clutch lever)	011147	Upper hole jewel for transmission wheel	
<b>387613</b>	<b>Minute wheel bridge</b>	011147	Lower hole jewel for transmission wheel	
388611	Setting lever spring	023150	Tube for pallet cock screw (Cylinder type)	
☆397610	Lever for unlocking stem	023151	Tube for bridge screw	
401615	Main-spring with slipping attachment	023170	Tube for pallet cock screw (Recessed type)	
☆ <b>998613</b>	<b>Indicator wheel</b>	023171	Tube for framework screw of automatic device	
☆ <b>999611</b>	<b>Indicator wheel spring</b>	023417	Date corrector pin	
014363	Diashock upper frame			
014364	Diashock lower frame			
014365	Diashock hole jewel with frame			
011210	Diashock cap jewel			
014317	Diashock spring			
<b>015411</b>	<b>Diafix upper hole jewel with frame for escape wheel</b>			
<b>015411</b>	<b>Diafix lower hole jewel with frame for escape wheel</b>			
<b>011206</b>	<b>Diafix cap jewel</b>			
<b>015113</b>	<b>Diafix spring</b>			
<b>500620</b>	<b>Oscillating weight</b>			
505611	Transmission wheel			
<b>823619</b>	<b>Eccentric post</b>			
831611	Pawl lever with jewel			
839610	Holder for transmission wheel & pawl lever			
<b>556611</b>	<b>Date finger</b>			
☆ <b>801611</b>	<b>Date dial</b>			
<b>802611</b>	<b>Date driving wheel</b>			
<b>808611</b>	<b>Date dial guard</b>			
<b>810611</b>	<b>Date jumper</b>			
817610	Intermediate date wheel			
<b>868611</b>	<b>Day finger</b>			
☆ <b>870558</b>	<b>Day star with dial disk (English ↔ Spanish)</b>			
<b>880611</b>	<b>Date corrector</b>			

☆ ⇨ Please see remarks on the next page.  
 As for all other parts not shown here, please refer to the basic calibre  
 (Cal. No. 6106A 25J Catalog No. 61-06-1 Green page).

☆ ⇨ Please see remarks on the next page.  
 Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre  
 (Cal. No. 6106A 25J Catalog No. 61-06-1 Green page).

Calibre No. <b>6119C</b>	Jewels <b>21j</b>	Style Name
↔ Basic Calibre 6106A 25J Catalog No. 61-06-1		

**Remarks:**

Winding stem (☆ 357612)  
Indicator wheel (☆ 998613)  
Indicator wheel spring (☆ 999611) } ..... These parts are available only for watches with rotating dial ring.

**Lever for unlocking stem**

☆ 397610 ..... Used only for the one-piece waterproof case.  
If the lever for unlocking stem is required in any other type, specify the dial No. or the case No.

**Date dial**

☆ 801611 (White figures on black background) ..... Used when the crown is located at 4 o'clock and the date frame at 3 o'clock.  
If the date dial is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

**Day star with dial disk**

☆ 870558 (English ↔ Spanish) ..... Used when the crown is located at 4 o'clock and the day frame at 3 o'clock.  
When ordering any other type of the day star with dial disks, clearly mention the number printed on the disk. If the number is unknown, specify ① Cal. No. ② the crown position ③ the day frame position ④ the dial No. and ⑤ the national language.

**Holding ring for dial**—— Measure the total thickness and the outside diameter —————

☆ 884611 ..... 1.8mm total thickness and 29.1 $\phi$ mm outside diameter  
If the holding ring for dial is required in any other type, specify ① Cal. No. and ② the dial No.