







410

EL PRIMERO

-  MOEBIUS 9010
-  JISMAA 124
-  MOEBIUS D5
-  MOEBIUS 9415
-  KT 22






ORDRE DE DEMONTAGE
 DEMONTAGE - REIHENFOLGE
 ORDER OF DISASSEMBLING
 ORDINE DI SMONTAGGIO


- 2551/1
- 52551 X 2
- 52551A
- 52551B
- 2561/1
- 52561/1
- 2562/1
- 52562/1
- 145



410







EL PRIMERO


-  MOEBIUS 9010
-  JISMAA 124
-  MOEBIUS D5
-  MOEBIUS 9415
-  KT 22



400

EL PRIMERO

-  MOEBIUS 9010
-  JISMAA 124
-  MOEBIUS D5
-  MOEBIUS 9415
-  KT 22
-  Prélubrification
Vergölt
Pre oiled




(*) SELON MODÈLE DE PONT DE ROUAGE

TECHNICAL SPECIFICATIONS


400-405-410-420 & 400Z-405Z-410Z-420Z

400-405-410




N° SAV : 8500

400Z-405Z-410Z




N° SAV : 8500Z

Chronograph
bridge



100 teeth / 5 arms


N° SAV : 225
53.74.0110.400



120 teeth / 6 arms


N° SAV : 225Z
53.74.0390.400

Fourth
wheel



Wheel with 21 teeth / Pinion with 7 teeth


N° SAV : 705
53.76.0160.400



Wheel with 20 teeth / Pinion with 8 teeth


N° SAV : 705Z
53.76.0390.400

Escape
wheel



Shape of the horns

N° SAV : 710
54.79.0090.400



Shape of the horns

N° SAV : 710Z
54.79.0260.400

Pallet fork